

View Online at <https://aerobasegroup.com/nsn/5930-01-031-1514>

**Overall Length:**

1.250 inches

**Overall Height:**

0.440 inches

**Overall Width:**

0.400 inches

**Body Length:**

0.776 inches

**Body Width:**

0.400 inches

**Body Height:**

0.250 inches

**Unthreaded Mounting Hole Diameter:**

0.156 inches

**Distance Between Mounting Facility Centers:**

1.000 inches

**Temperature Sensing Element Type:**

Internal sensor

**Operating Temperature Rating:**

85.0 degrees celsius and -65.0 degrees celsius

**Mounting Method:**

Unthreaded hole

**Contact Action Stimulus:**

Increase

**Mounting Facility Pattern:**

Two position in-line

**Nonpile-up Contact Arrangement:**

1 pole, single throw, normally open, momentary action

**Terminal Type:**

Tab, solder lug

**Contact Load Current Rating:**

2.5 amperes resistive load first voltage

**Contact Adjustability:**

Deactuation point adjustable, preset and actuation point adjustable, preset

**Contact Adjustment Range:**

-26.00/+96.00 actuation point degrees celsius and +43.00/+49.00 deactuation point degrees celsius

**Contact Adjustment Type:**

External deactuation point shaft and external actuation point shaft

**Contact Stimulus Rating:**

46.00 actuation point degrees celsius and 3.00 differential point degrees celsius

**Contact Voltage Rating In Volts:**

28.0 dc at sea level second voltage

**Frequency In Hertz:**

60.0 first voltage

**Media For Which Designed:**

Gas or liquid

**Style Designator:**

Rectangular w/bracket

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A048b0