## NSN 5930-01-031-1514

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-031-1514
Overall Length:
1.250 inches
Overall Height:
0.440 inches
Overall Width:
0.400 inches
Body Length:
0.776 inches
Body Width:
0.400 inches
Body Height:
0.250 inches
Unthreaded Mounting Hole Diameter:
0.156 inches
Distance Between Mounting Facility Centers:
1.000 inches
Tempurature Sensing Element Type:
Internal sensor
Operating Tempurature Rating:
85.0 degrees celsius and -65.0 degrees celsius
Mounting Method:
Unthreaded hole
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Pating

## Contact Load Current Rating:

2.5 amperes resistive load first voltage

#### **Contact Adjustability:**

Deactuation point adjustable, preset and actuation point adjustable, preset

#### **Contact Adjustment Range:**

-26.00/+96.00 actuation point degrees celsius and +43.00/+49.00 deactuation point degrees celsius

#### **Contact Adjustment Type:**

External deactuation point shaft and external actuation point shaft

## **Contact Stimulus Rating:**

46.00 actuation point degrees celsius and 3.00 differential point degrees celsius

#### **Contact Voltage Rating In Volts:**

28.0 dc at sea level second voltage

# NSN 5930-01-031-1514

Thermostatic Switch - Page 2 of 2



Frequency In Hertz	z:
--------------------	----

60.0 first voltage

Media For Which Designed:

Gas or liquid

**Style Designator:** 

Rectangular w/bracket

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A048b0