NSN 5930-01-032-7848

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-032-7848

Overall Length:
4.875 inches
Overall Height:
3.281 inches
Overall Width:
2.625 inches
Body Height:
2.500 inches
Unthreaded Mounting Hole Diameter:
0.281 inches
Bulb Length:
4.375 inches
Bulb Diameter:
0.688 inches
Longest Horizontal Distance Between Mounting Centers:
2.406 inches
Shortest Horizontal Distance Between Mounting Centers:
1.703 inches
Longest Vertical Distance Between Mounting Centers:
3.281 inches
End Application:
Moisture separator 70472
Tempurature Sensing Element Type:
Bulb
Operating Tempurature Rating:
120.0 degrees fahrenheit
Mounting Method:
Bracket and unthreaded hole
Features Provided:
Electrical access port
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Isosceles triangle
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Terminal Type:
Tab w/screw
Contact Load Current Rating:
3.2 amperes resistive load first voltage

Contact Adjustability:

Deactuation point adjustable and actuation point adjustable

NSN 5930-01-032-7848

Thermostatic Switch - Page 2 of 2



Contact Adjustment Range:

+25.00/+90.00 actuation point degrees fahrenheit and +25.00/+90.00 deactuation point degrees fahrenheit

Contact Adjustment Type:

External deactuation point screw and external actuation point screw

Contact Voltage Rating In Volts:

550.0 ac at sea level first voltage

Media For Which Designed:

Gas or liquid

Style Designator:

Rectangular

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A048b0