## NSN 5930-01-033-7910

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-033-7910

Overall Length:
8.594 inches
Overall Height:
8.719 inches
Overall Width:
5.063 inches
Body Height:
7.969 inches
Capillary Tube Length:
120.0 inches
Bulb Length:
3.750 inches
Bulb Diameter:
0.375 inches
Longest Horizontal Distance Between Mounting Centers:
8.594 inches
Shortest Horizontal Distance Between Mounting Centers:
2.781 inches
Longest Vertical Distance Between Mounting Centers:
4.531 inches
Tempurature Sensing Element Type:
Capillary tube-bulb
Mounting Method:
Bracket
Features Provided:
Calibrated scale
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Isosceles triangle
Nonpile-up Contact Arrangement:
2 pole, double throw, one position momentary
Terminal Type:
Screw
Contact Load Current Rating:
50.0 amperes resistive load single voltage
Contact Adjustability:
Deactuation point adjustable and actuation point adjustable
Contact Adjustment Range:
+100.00/+1000.00 actuation point degrees fahrenheit and +95.00/+995.00 deactuation point degrees fahrenheit

**Contact Adjustment Type:** 

External deactuation point knob with scale and external actuation point knob with scale

## NSN 5930-01-033-7910

Thermostatic Switch - Page 2 of 2



250.0 ac at sea level single voltage

Media For Which Designed:

Gas or liquid

**Style Designator:** 

Rectangular

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A048b0