## NSN 5930-01-034-6767

Flow Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-034-6767

Hazardous Locations/environmental Protection:
Corrosion resistant
Overall Length:
4.375 inches
Overall Height:
2.000 inches
Overall Width:
1.250 inches
Body Length:
4.125 inches
End Application:
Satellite communication terminal an/fsc-78 or 79
Operating Tempurature Rating:
Between -20.0 degrees fahrenheit and 300.0 degrees fahrenheit
Mounting Method:
Line
Features Provided:
Hermetically sealed case
Contact Action Stimulus:
Decrease
Thread Size:
0.500 inches all threaded hole
Nonpile-up Contact Arrangement:
1 pole, double throw, one position momentary
Terminal Type:
Connector, receptacle
Contact Load Current Rating:
500.0 milliamperes resistive load single voltage
Contact Adjustability:
Actuation point adjustable, preset
Contact Adjustment Range:
+0.50/+20.00 actuation point gallons per minute
Contact Adjustment Type:
External actuation point screw
Contact Stimulus Rating:
5.00 actuation point gallons per minute
Contact Voltage Rating In Volts:
30.0 dc at sea level single voltage
Media For Which Designed:
Liquid

Style Designator:

Rectangular

## NSN 5930-01-034-6767

Flow Switch - Page 2 of 2



Thread	Series	Design	nator:
	0000	-00.9.	

Npt all threaded hole

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A048b0