## NSN 5930-01-035-7139

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-035-7139

**Overall Length:** 

5.688 inches

**Overall Height:** 

1.562 inches

**Overall Width:** 

1.562 inches

Individual Section Quantity:

9

#### Longest Horizontal Distance Between Mounting Centers:

1.250 inches single mounting facility

#### Longest Vertical Distance Between Mounting Centers:

1.250 inches single mounting facility

**Operating Tempurature Range:** 

-55.0/+80.0 degrees celsius

**End Application:** 

Switchboard 1c

Switch Contact Basic Design:

Nonpile-up symmetrical

**Pole Quantity:** 

6 9th section front

Throw Quantity:

2 each section rear

Mounting Method:

Flange single mounting facility

**Contact Voltage Rating In Volts:** 

28.0 dc at sea level

**Rotor Through Connection Quantity:** 

6 9th section

Mounting Facility Pattern:

Four position rectangular single mounting facility

**Switch Actuator Indexing Position Quantity:** 

24 single actuator

**Terminal Type:** 

Tab, solder lug

**Contact Switching Action:** 

Breaks before makes each section rear

### Switch Actuator Positioning Increment:

20.0 degrees single actuator

**Detent Rotational Torque Range:** 

+22.000/+26.000 inch-ounces single actuator

Switch Actuator Stop Device Type:

Fixed stop single actuator

# NSN 5930-01-035-7139

Rotary Switch - Page 2 of 2



**Contact Load Current Rating:** 

1.0 amperes resistive load ac at sea level

**Special Features:** 

Front solenoid

Precious Material And Location:

Terminals silver and contact surfaces silver

**Precious Material:** 

Silver

Style Designator:

Tap, circuit selector

Shelf Life:

N/a

Unit Of Measure:

---

**Demilitarization:** 

No

Fiig:

A052b0