NSN 5930-01-035-9574

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-035-9574

Hazardous Locations/environmental Protection:						
Dustproof						
Overall Height:						
0.625 inches						
Body Diameter:						
0.572 inches						
Body Height:						
0.413 inches						
Unthreaded Mounting Hole Diameter:						
0.140 inches						
Distance Between Mounting Facility Centers:						
0.937 inches						
Tempurature Sensing Element Type:						
Internal sensor						
Operating Tempurature Rating:						
Between -65.0 degrees fahrenheit and 450.0 degrees fahrenheit						
Mounting Method:						
Bracket and unthreaded hole						
Features Provided:						
Hermetically sealed case						
Contact Action Stimulus:						
Decrease						
Mounting Facility Pattern:						
Two position in-line						
Nonpile-up Contact Arrangement:						
1 pole, single throw, normally closed, momentary action						
Terminal Type:						
Wire lead						
Contact Load Current Rating:						
5.5 amperes resistive load third voltage						
Contact Adjustability:						
Deactuation point not adjustable and actuation point not adjustable						
Contact Stimulus Rating:						
178.00 actuation point degrees fahrenheit and 208.00 deactuation point degrees fahrenheit						
Contact Voltage Rating In Volts:						
30.0 dc at sea level third voltage						
Frequency In Hertz:						
60.0 second voltage						
Media For Which Designed:						
Gas						
Cas						
Shelf Life:						

NSN 5930-01-035-9574

Thermostatic Switch - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A048b0