NSN 5930-01-038-1482

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-038-1482

Thread Class:

2b all threaded hole

Overall Length:

2.567 inches

Overall Height:

1.660 inches

Distance Between Mounting Facility Centers:

Between 2.179 inches and 2.195 inches

Capillary Tube Length:

Between 36.0 inches and 39.0 inches

End Application:

Ice making machine

Tempurature Sensing Element Type:

Capillary tube

Mounting Method:

Bracket and threaded hole

Features Provided:

Electrical access port

Thready Qty Per Inch (tpi):

32 all threaded hole

Contact Action Stimulus:

Decrease

Thread Size:

0.164 inches all threaded hole

Mounting Facility Pattern:

Two position in-line

Nonpile-up Contact Arrangement:

1 pole, single throw, normally open, momentary action

Terminal Type:

Quick disconnect, male

Contact Load Current Rating:

20.0 amperes resistive load second voltage

Contact Adjustability:

Deactuation point not adjustable and actuation point not adjustable

Contact Stimulus Rating:

50.00 actuation point degrees fahrenheit and 45.50 deactuation point degrees fahrenheit

Contact Voltage Rating In Volts:

277.0 ac at sea level first voltage

Media For Which Designed:

Gas

Thread Series Designator:

Unc all threaded hole

NSN 5930-01-038-1482

Thermostatic Switch - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0