## NSN 5930-01-038-1482

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-038-1482

Thread Class:
2b all threaded hole
Overall Length:
2.567 inches
Overall Height:
1.660 inches
Distance Between Mounting Facility Centers:
Between 2.179 inches and 2.195 inches
Capillary Tube Length:
Between 36.0 inches and 39.0 inches
End Application:
Ice making machine
Tempurature Sensing Element Type:
Capillary tube
Mounting Method:
Bracket and threaded hole
Features Provided:
Electrical access port
Thready Qty Per Inch (tpi):
32 all threaded hole
Contact Action Stimulus:
Decrease
Thread Size:
0.164 inches all threaded hole
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Terminal Type:
Quick disconnect, male
Contact Load Current Rating:
20.0 amperes resistive load second voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
50.00 actuation point degrees fahrenheit and 45.50 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
277.0 ac at sea level first voltage
Media For Which Designed:
Gas
Thread Series Designator:
Unc all threaded hole

## NSN 5930-01-038-1482

Thermostatic Switch - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0

