NSN 5930-01-038-5453

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-038-5453

Thread Class:

2a single mounting facility

Thread Length:

0.375 inches single mounting facility

Overall Length:

3.901 inches

Shaft Diameter:

0.250 inches single actuator

Shaft Length:

0.380 inches single actuator

Individual Section Quantity:

5

End Application:

Command control and communication system 427m.

Switch Contact Basic Design:

Nonpile-up symmetrical

Pole Quantity:

1 5th section front

Throw Quantity:

3 1st section rear

Mounting Method:

Threaded bushing single mounting facility

Thread Size:

0.375 inches single mounting facility

Contact Voltage Rating In Volts:

28.0 dc at sea level

Rotor Through Connection Quantity:

1 4th section

Switch Actuator Indexing Position Quantity:

12 single actuator

Shaft Type:

Round single actuator

Criticality Code Justification:

Feat

Terminal Type:

Clip and printed circuit

Contact Switching Action:

Makes before breaks 5th section front

Switch Actuator Positioning Increment:

30.0 degrees single actuator

Switch Actuator Stop Device Type:

Fixed stop single actuator

NSN 5930-01-038-5453

Rotary Switch - Page 2 of 2



Contact Load Current Ratin

500.0 milliamperes resistive load ac at sea level

Special Features:

Weapon system essential

Precious Material And Location:

Clips and rotor blade surfaces silver

Precious Material:

Silver

Style Designator:

Circular wafer, bushing mount

Thread Series Designator:

Unef single mounting facility

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A052b0