NSN 5930-01-038-9676

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-038-9676 **Overall Length:** 0.803 inches **Overall Height:** 0.321 inches **Body Diameter:** 0.605 inches **Body Height:** 0.301 inches **Unthreaded Mounting Hole Diameter:** 0.147 inches **Distance Between Mounting Facility Centers:** 0.437 inches **Tempurature Sensing Element Type:** Internal sensor **Operating Tempurature Rating:** 85.0 degrees celsius and -55.0 degrees celsius **Mounting Method:** Bracket and unthreaded hole **Features Provided:** Tamper proof cap **Contact Action Stimulus:** Increase **Mounting Facility Pattern:** Two position in-line **Nonpile-up Contact Arrangement:** 1 pole, single throw, normally closed, momentary action **Terminal Type:** Tab, solder lug **Contact Load Current Rating:** 2.0 amperes resistive load single voltage **Contact Adjustability:** Deactuation point not adjustable and actuation point not adjustable **Contact Stimulus Rating:** 212.00 actuation point degrees fahrenheit and 204.00 deactuation point degrees fahrenheit **Contact Voltage Rating In Volts:** 24.0 dc at sea level single voltage Media For Which Designed: Gas or liquid **Style Designator:** Disc w/flange Shelf Life:

N/a

NSN 5930-01-038-9676

Thermostatic Switch - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МА	261	ıre:

--

Demilitarization:

No

Fiig:

A048b0