NSN 5930-01-040-3893

Thermostatic Switch - Page 1 of 2

Precious Material And Location:

Contact surfaces gold and contacts silver



View Online at https://aerobasegroup.com/nsn/5930-01-040-3893

Overall Length:
1.218 inches
Overall Height:
0.405 inches
Body Diameter:
0.640 inches
Mounting Slot Width:
0.140 inches
Body Height:
0.295 inches
Unthreaded Mounting Hole Diameter:
0.140 inches
Distance Between Mounting Facility Centers:
0.937 inches
Tempurature Sensing Element Type:
Internal sensor
Operating Tempurature Rating:
260.0 degrees celsius and -65.0 degrees celsius
Mounting Method:
Bracket and unthreaded hole and slot
Features Provided:
Hermetically sealed case
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
5.0 milliamperes resistive load second voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
275.00 actuation point degrees fahrenheit and 266.00 deactuation point degrees fahrenheit and 9.00 differential point degrees fahrenheit
Contact Voltage Rating In Volts:
30.0 dc at sea level second voltage
Media For Which Designed:
Gas or liquid

NSN 5930-01-040-3893

Thermostatic Switch - Page 2 of 2



Precious Material:
Gold and silver
Style Designator:
Disc w/flange
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A048b0