

View Online at <https://aerobasegroup.com/nsn/5930-01-040-7537>

Thread Class:

2b all threaded hole

Overall Length:

4.656 inches

Overall Height:

3.984 inches

Overall Width:

2.094 inches

Body Length:

3.250 inches

Body Height:

3.984 inches

Distance Between Mounting Facility Centers:

1.000 inches

Pressure Switch Type:

Gage

Mounting Method:

Threaded hole

Features Provided:

Capillary tube end seal connection

Thready Qty Per Inch (tpi):

32 all threaded hole

Contact Action Stimulus:

Increase

Thread Size:

0.190 inches all threaded hole

Mounting Facility Pattern:

Two position in-line

Nonpile-up Contact Arrangement:

1 pole, single throw, normally closed, momentary action

Terminal Type:

Connector, receptacle

Contact Load Current Rating:

20.0 amperes resistive load second voltage

Contact Adjustability:

Deactuation point adjustable, preset and actuation point adjustable, preset

Contact Adjustment Range:

+0.00/+150.00 actuation point pounds per square inch gage and +0.00/+150.00 deactuation point pounds per square inch gage

Contact Adjustment Type:

External deactuation point knob with scale and external actuation point knob with scale

Contact Stimulus Rating:

100.00 actuation point pounds per square inch gage and 80.00 deactuation point pounds per square inch gage

Contact Voltage Rating In Volts:

240.0 ac at sea level first voltage

Media For Which Designed:

Gas or liquid

Style Designator:

Rectangular

Thread Series Designator:

Unef all threaded hole

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A048b0