

View Online at <https://aerobasegroup.com/nsn/5930-01-041-6476>

**Hazardous Locations/environmental Protection:**

Dustproof

**Overall Length:**

1.138 inches

**Overall Height:**

0.676 inches

**Body Diameter:**

0.625 inches

**Mounting Slot Width:**

0.145 inches

**Body Height:**

0.470 inches

**Distance Between Mounting Facility Centers:**

0.938 inches

**Temperature Sensing Element Type:**

Internal sensor

**Mounting Method:**

Bracket and slot

**Contact Action Stimulus:**

Increase

**Mounting Facility Pattern:**

Two position in-line

**Nonpile-up Contact Arrangement:**

1 pole, single throw, normally closed, momentary action

**Terminal Type:**

Tab, solder lug

**Contact Load Current Rating:**

7.2 amperes resistive load second voltage

**Contact Adjustability:**

Deactuation point not adjustable and actuation point not adjustable

**Contact Stimulus Rating:**

199.00 actuation point degrees fahrenheit and 180.00 deactuation point degrees fahrenheit

**Contact Voltage Rating In Volts:**

277.0 ac at sea level second voltage

**Media For Which Designed:**

Gas or liquid

**Unpackaged Unit Weight:**

4.000 grams

**Precious Material And Location:**

Contact surfaces gold

**Precious Material:**

Gold

**Style Designator:**

Disc w/flange

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A048b0