## NSN 5930-01-044-2383

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-044-2383

Overall Length:
4.875 inches
Overall Height:
4.500 inches
Overall Width:
2.875 inches
Body Height:
2.500 inches
Bulb Length:
3.000 inches
Bulb Diameter:
0.688 inches
Longest Horizontal Distance Between Mounting Centers:
2.406 inches
Shortest Horizontal Distance Between Mounting Centers:
1.750 inches
Longest Vertical Distance Between Mounting Centers:
3.281 inches
Tempurature Sensing Element Type:
Bulb
Operating Tempurature Rating:
195.0 degrees fahrenheit
Mounting Method:
Bracket
Features Provided:
Electrical access port
Contact Action Stimulus:
Decrease
Mounting Facility Pattern:
Isosceles triangle
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Terminal Type:
Screw
Contact Load Current Rating:
3.2 amperes resistive load first voltage
Contact Adjustability:
Deactuation point adjustable and actuation point adjustable
Contact Adjustment Range:
+90.00/+165.00 actuation point degrees fahrenheit and +86.00/+161.00 deactuation point degrees fahrenheit
Contact Adjustment Type:

Contact Adjustificht Type

External deactuation point screw and external actuation point screw

## NSN 5930-01-044-2383

Thermostatic Switch - Page 2 of 2



Contact Voltage Rating In Volt
550.0 ac at sea level first voltage
Media For Which Designed:
Gas or liquid
Style Designator:
Rectangular
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A048b0