

View Online at <https://aerobasegroup.com/nsn/5930-01-045-4323>

**Thread Class:**

2b all threaded hole

**Overall Length:**

1.830 inches

**Overall Height:**

2.888 inches

**Overall Width:**

2.372 inches

**Body Height:**

2.880 inches

**Distance Between Mounting Facility Centers:**

1.750 inches

**Capillary Tube Length:**

36.0 inches

**Bulb Length:**

5.660 inches

**Bulb Diameter:**

0.250 inches

**Temperature Sensing Element Type:**

Capillary tube-bulb

**Mounting Method:**

Bracket and threaded hole

**Features Provided:**

Capillary tube end seal connection

**Thready Qty Per Inch (tpi):**

32 all threaded hole

**Contact Action Stimulus:**

Increase

**Thread Size:**

0.138 inches all threaded hole

**Mounting Facility Pattern:**

Two position in-line

**Nonpile-up Contact Arrangement:**

2 pole, single throw, normally open, momentary action

**Terminal Type:**

Tab w/screw

**Contact Load Current Rating:**

25.0 amperes resistive load second voltage

**Contact Adjustability:**

Deactuation point adjustable and actuation point adjustable

**Contact Adjustment Range:**

+376.00/+396.00 actuation point degrees fahrenheit and +390.00/+410.00 deactuation point degrees fahrenheit

**Contact Adjustment Type:**

External deactuation point dial and external actuation point dial

**Contact Voltage Rating In Volts:**

250.0 ac at sea level first voltage

**Media For Which Designed:**

Gas

**Style Designator:**

Rectangular

**Thread Series Designator:**

Unc all threaded hole

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A048b0