NSN 5930-01-047-4780

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-047-4780
Thread Class:
2b single mounting facility
Overall Length:
6.626 inches
Overall Height:
3.250 inches
Overall Width:
3.250 inches
Shaft Length:
0.250 inches single actuator
Individual Section Quantity:
5
Knob Manufacturer Code:
82121
Knob Specificationial Markings:
White indicating arrow
Switch Contact Basic Design:
Pile-up
Mounting Facility Circle Radius:
3.250 inches single mounting facility
Mounting Method:
Bracket single mounting facility and threaded hole single mounting facility
Features Provided:
Actuator knob and cam actuated
Thready Qty Per Inch (tpi):
24 single mounting facility
Thread Size:
0.190 inches single mounting facility
Contact Voltage Rating In Volts:
500.0 highest ac voltage rating at sea level
Mounting Facility Pattern:
Four position circular single mounting facility
Cam Actuated Switch Contact Arrangement:
2 pole, single throw, both positions maintained each switch each section in-line
Switch Actuator Indexing Position Quantity:
2 single actuator
Shaft Type:
Rectangular/square, threaded hole single actuator
Square Shaft Size:
0.250 inches single actuator

Terminal Type:Tab w/screw

NSN 5930-01-047-4780

Rotary Switch - Page 2 of 2

A052b0



Contact Switching Action:
Breaks before makes each section in-line
Switch Actuator Positioning Increment:
45.0 degrees single actuator
Switch Actuator Stop Device Type:
Fixed stop single actuator
Contact Load Current Rating:
5.0 amperes resistive load lowest ac voltage rating at sea level
Special Features:
Key removable only when switch is locked; key locks in 0 position only
Style Designator:
Tap, circuit selector
Thread Series Designator:
Unc single mounting facility
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: