Code Indicating Wheel Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-047-9106

| Overall Length: |
|--|
| 1.800 inches |
| Overall Height: |
| 2.235 inches |
| Overall Width: |
| 1.920 inches |
| Unthreaded Mounting Hole Diameter: |
| 0.140 inches single mounting facility |
| Individual Section Quantity: |
| 1 |
| Longest Horizontal Distance Between Mounting Centers: |
| 1.535 inches single mounting facility |
| Longest Vertical Distance Between Mounting Centers: |
| 1.200 inches single mounting facility |
| Mounting Method: |
| Unthreaded hole single mounting facility |
| Actuator Type: |
| Thumbwheel single actuator |
| Contact Voltage Rating In Volts: |
| 28.0 dc at sea level |
| Mounting Facility Pattern: |
| Four position rectangular single mounting facility |
| Switch Actuator Indexing Position Quantity: |
| 8 single actuator |
| Terminal Type: |
| Printed circuit |
| Contact Load Current Rating: |
| 125.0 milliamperes resistive load dc at sea level |
| Readout Indicator Marking: |
| 0, 1, 2, 3, 4, 5, 6, 7, 8 single section |
| Contact Arrangement Truth Table: |
| Bcd, separate common to not-true bits, 2 pole - 8 positions single section |
| Color: |
| White single indicator marking |
| Style Designator: |
| Rectangular inline indicating |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| |

NSN 5930-01-047-9106

Code Indicating Wheel Switch - Page 2 of 2

Fiig: A052b0

