## NSN 5930-01-050-0534

Pressure Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-050-0534

Overall Length:
5.125 inches
Overall Height:
5.938 inches
Overall Width:
2.625 inches
Body Length:
5.000 inches
Body Height:
2.750 inches
Distance Between Mounting Facility Centers:
5.250 inches
End Application:
Landing craft utili type 98042
Pressure Switch Type:
Gage
Mounting Method:
Bracket
Features Provided:
Electrical access port
Contact Action Stimulus:
Decrease
Proof Pressure:
400.00 pounds per square inch
Thread Size:
0.250 inches single pressure connection
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Terminal Type:
Screw
Contact Load Current Rating:
3.2 amperes resistive load first voltage
Contact Adjustability:
Deactuation point adjustable and actuation point adjustable
Contact Adjustment Range:
+60.00/+350.00 actuation point pounds per square inch and +60.00/+350.00 deactuation point pounds per square inch
Contact Adjustment Type:
Internal deactuation point screw and internal actuation point screw

**Contact Voltage Rating In Volts:** 

550.0 ac at sea level first voltage

## **NSN 5930-01-050-0534** Pressure Switch - Page 2 of 2



Pressure Connector Type:
Plain, threaded internal single connection
Special Features:
Special-adjustment differential
Media For Which Designed:
Gas
Precious Material:
Silver
Thread Series Designator:
F-ptf single pressure connection
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A048b0