## NSN 5930-01-050-8423

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-050-8423

**Overall Length:** 

4.875 inches

**Overall Height:** 

3.281 inches

**Overall Width:** 

2.875 inches

Body Height:

2.500 inches

Capillary Tube Length:

180.0 inches

Bulb Length:

14.500 inches

**Bulb Diameter:** 

1.125 inches

Longest Horizontal Distance Between Mounting Centers:

2.406 inches

Shortest Horizontal Distance Between Mounting Centers:

1.750 inches

Longest Vertical Distance Between Mounting Centers:

3.281 inches

Tempurature Sensing Element Type:

Capillary tube-bulb

**Operating Tempurature Rating:** 

120.0 degrees fahrenheit

Mounting Method:

Bracket

**Features Provided:** 

Electrical access port

**Contact Action Stimulus:** 

Increase

**Mounting Facility Pattern:** 

Isosceles triangle

**Nonpile-up Contact Arrangement:** 

1 pole, single throw, normally open, momentary action

**Terminal Type:** 

Tab w/screw

**Contact Load Current Rating:** 

3.2 amperes resistive load first voltage

**Contact Adjustability:** 

Deactuation point adjustable and actuation point adjustable

## Contact Adjustment Range:

+25.00/+90.00 actuation point degrees fahrenheit and +23.00/+85.00 deactuation point degrees fahrenheit

## NSN 5930-01-050-8423

Thermostatic Switch - Page 2 of 2



Contact Adjustment Type:

External deactuation point screw and external actuation point screw

**Contact Voltage Rating In Volts:** 

550.0 ac at sea level first voltage

Media For Which Designed:

Gas

Style Designator:

Rectangular

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A048b0