

View Online at <https://aerobasegroup.com/nsn/5930-01-051-1126>

**Body Style:**

Hole mounted

**Hazardous Locations/environmental Protection:**

Dustproof

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

0.875 inches

**Body Length:**

1.093 inches

**Body Width:**

0.406 inches

**Body Height:**

0.625 inches

**Unthreaded Mounting Hole Diameter:**

0.114 inches

**Center To Center Distance Between Mounting Facilities Parallel To Height:**

0.406 inches

**Actuator Length:**

1.375 inches

**Actuator Style:**

Leaf

**Actuator Width:**

0.187 inches

**Actuator Free Position Height:**

0.250 inches

**Maximum Voltage Rating In Volts:**

250.0 ac

**End Application:**

Engine generator (eg)

**Inclosure Type:**

Fully enclosed

**Nonpile-up Contact Arrangement:**

1 pole, double throw, one position momentary single switch unit

**Switch Release Force:**

5.0 ounces

**Switch Actuating Force:**

10.0 ounces

**Actuator Movement:**

0.200 pretravel inches and 0.140 overtravel inches and 0.060 differential inches

**Contact Load Current Rating At Maximum Rated Voltage:**

10.000 amperes resistive ac

**Terminal Type And Quantity:**

3 quick disconnect, male

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A053a0