# NSN 5930-01-051-1259

Pressure Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-051-1259

# **Overall Length:**

6.906 inches

**Overall Height:** 

5.000 inches

# Overall Width:

3.438 inches

# Distance Between Mounting Facility Centers:

2.000 inches

## End Application:

Training device 49956

# Pressure Switch Type:

Gage

# Mounting Method:

Bracket

#### **Features Provided:**

Electrical access port

#### Thready Qty Per Inch (tpi):

18 single pressure connection

#### **Contact Action Stimulus:**

Increase

#### **Proof Pressure:**

7000.00 pounds per square inch

#### **Thread Size:**

0.250 inches single pressure connection

## Mounting Facility Pattern:

Two position in-line

## Nonpile-up Contact Arrangement:

1 pole, single throw, normally open, momentary action

## **Terminal Type:**

Screw

## **Contact Load Current Rating:**

10.0 amperes resistive load second voltage and 10.0 amperes inductive load second voltage

## Contact Adjustability:

Deactuation point adjustable and actuation point adjustable

## Contact Adjustment Range:

+135.00/+1500.00 actuation point pounds per square inch and +125.00/+1440.00 deactuation point pounds per square inch

## Contact Adjustment Type:

Internal deactuation point screw and internal actuation point screw

## Contact Voltage Rating In Volts:

6.0 dc at sea level fourth voltage

#### Pressure Connector Type:

Plain, threaded internal single connection

# NSN 5930-01-051-1259

Pressure Switch - Page 2 of 2



#### Media For Which Designed:

Gas or liquid

# Thread Series Designator:

Npt single pressure connection

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A048b0