# NSN 5930-01-057-1469

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-057-1469

#### **Thread Class:**

2a all threaded stud

## **Thread Length:**

0.187 inches all threaded stud

# **Overall Height:**

0.862 inches

#### **Body Height:**

0.432 inches

# **Overall Diameter:**

0.640 inches

## **Operating Tempurature Rating:**

Between -65.0 degrees fahrenheit and 500.0 degrees fahrenheit

#### **Mounting Method:**

Threaded stud

#### Thready Qty Per Inch (tpi):

# 32 all threaded stud

## **Contact Action Stimulus:**

Increase

# Thread Size:

0.138 inches all threaded stud

# Nonpile-up Contact Arrangement:

1 pole, single throw, normally closed, momentary action

# **Terminal Type:**

Tab, solder lug

## **Contact Load Current Rating:**

5.0 amperes resistive load second voltage and 2.5 amperes inductive load second voltage

## **Contact Adjustability:**

Deactuation point not adjustable and actuation point not adjustable

## **Contact Stimulus Rating:**

190.00 actuation point degrees fahrenheit and 170.00 deactuation point degrees fahrenheit

## Contact Voltage Rating In Volts:

28.0 dc at sea level second voltage

# Frequency In Hertz:

60.0 single voltage

## **Thread Series Designator:**

Unc all threaded stud

Shelf Life:

N/a

Unit Of Measure:

---

# Demilitarization:

No

# NSN 5930-01-057-1469

Thermostatic Switch - Page 2 of 2

**Fiig:** A048b0

