

View Online at <https://aerobasegroup.com/nsn/5930-01-057-3813>

Thread Class:

2b all threaded hole

Overall Length:

2.627 inches

Overall Height:

2.340 inches

Overall Width:

1.160 inches

Body Length:

Between 1.900 inches and 1.950 inches

Body Width:

1.160 inches

Distance Between Mounting Facility Centers:

1.937 inches

Capillary Tube Length:

Between 71.0 inches and 75.0 inches

Bulb Length:

Between 1.680 inches and 1.940 inches

Bulb Diameter:

0.125 inches

Temperature Sensing Element Type:

Capillary tube-bulb

Mounting Method:

Bracket and threaded hole

Thready Qty Per Inch (tpi):

32 all threaded hole

Contact Action Stimulus:

Increase

Thread Size:

0.138 inches all threaded hole

Mounting Facility Pattern:

Two position in-line

Nonpile-up Contact Arrangement:

1 pole, single throw, normally open, momentary action

Terminal Type:

Threaded stud

Contact Load Current Rating:

5.0 amperes resistive load first voltage

Contact Adjustability:

Deactuation point adjustable, preset and actuation point adjustable, preset

Contact Adjustment Range:

+0.00/+26.00 actuation point degrees fahrenheit and +0.00/+26.00 deactuation point degrees fahrenheit

Contact Adjustment Type:

External deactuation point screw and external actuation point screw

Contact Stimulus Rating:

2.00 actuation point degrees fahrenheit and 18.00 deactuation point degrees fahrenheit

Contact Voltage Rating In Volts:

240.0 ac at sea level first voltage

Media For Which Designed:

Gas or liquid

Thread Series Designator:

Unc all threaded hole

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A048b0