NSN 5930-01-057-6811

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-057-6811

Thread Class: 2a single mounting facility Thread Length: 0.250 inches single mounting facility **Hazardous Locations/environmental Protection:** Dustproof **Overall Length:** 1.475 inches **Overall Height:** 1.000 inches **Overall Width:** 1.250 inches **Shaft Diameter:** 0.250 inches single actuator **Shaft Length:** 0.375 inches single actuator **Individual Section Quantity:** 1 **Operating Tempurature Range:** -25.0/+85.0 degrees celsius **End Application:** Electronic counter 28480 **Switch Contact Basic Design:** Nonpile-up symmetrical **Pole Quantity:** 1 single section front **Throw Quantity:** 7 single section front **Mounting Method:** Threaded bushing single mounting facility **Thread Size:** 0.375 inches single mounting facility **Contact Voltage Rating In Volts:** 28.0 dc at sea level **Switch Actuator Indexing Position Quantity:** 8 single actuator **Shaft Type:** Round single actuator **Terminal Type:** Tab, solder lug

Contact Switching Action:

Breaks before makes single section front

NSN 5930-01-057-6811

Rotary Switch - Page 2 of 2



Switch Actuator Positioning Increment:

45.0 degrees single actuator

Detent Rotational Torque Range:

+8.000/+16.000 inch-ounces single actuator

Switch Actuator Stop Device Type:

Fixed stop single actuator

Contact Load Current Rating:

1.0 amperes resistive load ac at sea level

Style Designator:

Tap, circuit selector

Thread Series Designator:

Unef single mounting facility

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0