# NSN 5930-01-057-6811

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-057-6811

## **Thread Class:**

2a single mounting facility

## **Thread Length:**

0.250 inches single mounting facility

# Hazardous Locations/environmental Protection:

Dustproof

#### **Overall Length:**

1.475 inches

#### **Overall Height:**

1.000 inches

**Overall Width:** 

1.250 inches

#### Shaft Diameter:

0.250 inches single actuator

#### Shaft Length:

0.375 inches single actuator

# Individual Section Quantity:

1

## **Operating Tempurature Range:**

-25.0/+85.0 degrees celsius

## **End Application:**

Electronic counter 28480

## Switch Contact Basic Design:

Nonpile-up symmetrical

## Pole Quantity:

1 single section front

#### Throw Quantity:

7 single section front

#### Mounting Method:

Threaded bushing single mounting facility

#### Thread Size:

0.375 inches single mounting facility

#### **Contact Voltage Rating In Volts:**

28.0 dc at sea level

#### Switch Actuator Indexing Position Quantity:

8 single actuator

#### Shaft Type:

Round single actuator

## **Terminal Type:**

Tab, solder lug

## **Contact Switching Action:**

Breaks before makes single section front

# NSN 5930-01-057-6811

Rotary Switch - Page 2 of 2



Switch Actuator Positioning Increment:

45.0 degrees single actuator

#### **Detent Rotational Torque Range:**

+8.000/+16.000 inch-ounces single actuator

## Switch Actuator Stop Device Type:

Fixed stop single actuator

# **Contact Load Current Rating:**

1.0 amperes resistive load ac at sea level

#### Style Designator:

Tap, circuit selector

#### **Thread Series Designator:**

Unef single mounting facility

Shelf Life:

N/a

#### Unit Of Measure:

---

# Demilitarization:

No

## Fiig:

A052b0