## NSN 5930-01-058-7705



Thermostatic Switch - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5930-01-058-7705 **Overall Length:** Between 1.190 inches and 1.260 inches **Overall Height:** 0.300 inches **Body Diameter:** 0.660 inches **Mounting Slot Width:** 0.104 inches **Body Height:** 0.300 inches **Distance Between Mounting Facility Centers:** 0.937 inches **Tempurature Sensing Element Type:** Internal sensor **Mounting Method:** Bracket and slot **Features Provided:** Hermetically sealed case **Contact Action Stimulus:** Increase **Mounting Facility Pattern:** Two position in-line **Nonpile-up Contact Arrangement:** 1 pole, single throw, normally closed, momentary action **Terminal Type:** Tab, solder lug **Contact Load Current Rating:** 5.0 amperes resistive load second voltage and 2.5 amperes inductive load second voltage and 1.0 amperes lamp load second voltage **Contact Adjustability:** Deactuation point not adjustable and actuation point not adjustable **Contact Stimulus Rating:** 29.00 actuation point degrees fahrenheit and 35.00 actuation point degrees fahrenheit and 27.00 deactuation point degrees fahrenheit and 40.00 deactuation point degrees fahrenheit **Contact Voltage Rating In Volts:** 28.0 dc at sea level second voltage Frequency In Hertz: 60.0 first voltage

Media For Which Designed:

Gas or liquid

**Precious Material:** 

Silver

**Style Designator:** 

Disc w/flange

## NSN 5930-01-058-7705

Thermostatic Switch - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A048b0