## NSN 5930-01-061-5876

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-061-5876

View Online at https://aerobasegroup.com/nsn/5930-01-061-5876
Thread Class:
2b single mounting facility
Overall Length:
7.938 inches
Overall Height:
4.125 inches
First Flat Length:
0.750 inches single actuator
Flat Height:
0.219 inches single actuator
Shaft Diameter:
0.250 inches single actuator
Shaft Length:
1.000 inches single actuator
Individual Section Quantity:
6
Knob Manufacturer Code:
82121
Knob Manufacturer Part Number:
A
Knob Specificationial Markings:
Arrow
Switch Contact Basic Design:
Nonpile-up symmetrical
Pole Quantity:
1 each section rear
Throw Quantity:
3 each section front
Mounting Facility Circle Radius:
3.344 inches single mounting facility
Mounting Method:
Bracket single mounting facility and threaded hole single mounting facility
Features Provided:
Actuator knob
Thready Qty Per Inch (tpi):
20 single mounting facility
Thread Size:
0.250 inches single mounting facility
Contact Voltage Rating In Volts:
500.0 ac at sea level

1 each section

**Rotor Through Connection Quantity:** 

## **NSN 5930-01-061-5876**Rotary Switch - Page 2 of 2



Mounting Facility Pattern:
Four position circular single mounting facility
Switch Actuator Indexing Position Quantity:
3 single actuator
Shaft Type:
Round, flatted, threaded hole single actuator
Criticality Code Justification:
Feat
Terminal Type:
Tab w/screw
Contact Switching Action:
Makes before breaks each section front
Switch Actuator Positioning Increment:
90.0 degrees single actuator
Switch Actuator Stop Device Type:
Fixed stop single actuator
Contact Load Current Rating:
30.0 amperes resistive load ac at sea level
Special Features:
Item must comply with requirements of desc production standard no. L02445; for navy @nuclear propulsion plant products only
Style Designator:
Tap, circuit selector
Thread Series Designator:
Unc single mounting facility
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A052b0