NSN 5930-01-064-1462

Pressure Switch - Page 1 of 2

Thread Class:
2b all threaded hole
Inside Diameter:



View Online at https://aerobasegroup.com/nsn/5930-01-064-1462

0.125 inches all connections
Overall Length:
3.380 inches
Overall Width:
2.750 inches
Body Width:
2.000 inches
Body Height:
1.843 inches
Longest Horizontal Distance Between Mounting Centers:
2.375 inches
Longest Vertical Distance Between Mounting Centers:
2.125 inches
Pressure Switch Type:
Differential
Operating Tempurature Rating:
Between 5.0 degrees celsius and 50.0 degrees celsius
Mounting Method:
Bracket and threaded hole
Thready Qty Per Inch (tpi):
32 all threaded hole
Contact Action Stimulus:
Increase
Proof Pressure:
135.00 pounds per square inch absolute
Thread Size:
0.138 inches all threaded hole
Mounting Facility Pattern:
Four position rectangular
Nonpile-up Contact Arrangement:
2 pole, single throw, normally open, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
0.5 amperes resistive load single voltage
Contact Adjustability:
Actuation point not adjustable

Contact Voltage Rating In Volts: 110.0 ac at sea level single voltage

NSN 5930-01-064-1462

Pressure Switch - Page 2 of 2



Pressure Connector Type:	
Plain,	threaded internal all connections
Special Features:	

Includes a second switch for low flow adjustment from 1.50 in. Hg to 7.50 in. Hg

Media For Which Designed:

Gas

Thread Series Designator:

Unc all threaded hole

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0