

View Online at <https://aerobasegroup.com/nsn/5930-01-064-1462>

**Thread Class:**

2b all threaded hole

**Inside Diameter:**

0.125 inches all connections

**Overall Length:**

3.380 inches

**Overall Width:**

2.750 inches

**Body Width:**

2.000 inches

**Body Height:**

1.843 inches

**Longest Horizontal Distance Between Mounting Centers:**

2.375 inches

**Longest Vertical Distance Between Mounting Centers:**

2.125 inches

**Pressure Switch Type:**

Differential

**Operating Temperature Rating:**

Between 5.0 degrees celsius and 50.0 degrees celsius

**Mounting Method:**

Bracket and threaded hole

**Thready Qty Per Inch (tpi):**

32 all threaded hole

**Contact Action Stimulus:**

Increase

**Proof Pressure:**

135.00 pounds per square inch absolute

**Thread Size:**

0.138 inches all threaded hole

**Mounting Facility Pattern:**

Four position rectangular

**Nonpile-up Contact Arrangement:**

2 pole, single throw, normally open, momentary action

**Terminal Type:**

Tab, solder lug

**Contact Load Current Rating:**

0.5 amperes resistive load single voltage

**Contact Adjustability:**

Actuation point not adjustable

**Contact Voltage Rating In Volts:**

110.0 ac at sea level single voltage

**Pressure Connector Type:**

Plain, threaded internal all connections

**Special Features:**

Includes a second switch for low flow adjustment from 1.50 in. Hg to 7.50 in. Hg

**Media For Which Designed:**

Gas

**Thread Series Designator:**

Unc all threaded hole

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A048b0