# NSN 5930-01-065-0765

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-065-0765

## **Thread Class:**

2a single mounting facility

## Thread Length:

0.375 inches single mounting facility

# **Overall Length:**

1.520 inches

#### **Overall Height:**

1.000 inches

#### **Overall Width:**

0.890 inches

#### Shaft Diameter:

0.250 inches single actuator

#### Shaft Length:

0.375 inches single actuator

#### **Nonturn Device Radius:**

# 0.375 inches at 3: 00 o'clock

#### Individual Section Quantity:

1

Nonturn Device Type:

Pin at 3: 00 o'clock

### Switch Contact Basic Design:

Nonpile-up nonsymmetrical

#### **Mounting Method:**

Threaded bushing single mounting facility

#### **Thread Size:**

0.375 inches single mounting facility

#### **Contact Voltage Rating In Volts:**

28.0 dc at sea level

# Switch Actuator Indexing Position Quantity:

4 single actuator

#### Shaft Type:

Round single actuator

## **Terminal Type:**

Clip

## Switch Actuator Positioning Increment:

45.0 degrees single actuator

#### **Detent Rotational Torque Range:**

+15.000/+30.000 inch-ounces single actuator

#### Switch Actuator Stop Device Type:

Fixed stop single actuator

# **Contact Load Current Rating:**

500.0 milliamperes resistive load ac at sea level

# NSN 5930-01-065-0765

Rotary Switch - Page 2 of 2



**Precious Material And Location:** Terminals silver **Precious Material:** Silver Style Designator: Circular wafer, bushing mount **Thread Series Designator:** Unef single mounting facility Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A052b0