NSN 5930-01-067-7269



Rotary Switch - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5930-01-067-7269 **Thread Class:** 2b single mounting facility **Overall Length:** 3.781 inches **Overall Height:** 1.750 inches **Overall Width:** 1.750 inches **Shaft Diameter:** 0.250 inches single actuator **Shaft Length:** 0.875 inches single actuator **Individual Section Quantity:** 4 **Longest Horizontal Distance Between Mounting Centers:** 1.375 inches single mounting facility **Operating Tempurature Range:** -40.0/+85.0 degrees celsius **Switch Contact Basic Design:** Nonpile-up symmetrical **Pole Quantity:** 1 each section rear **Throw Quantity:** 6 each section rear **Mounting Method:** Bracket single mounting facility and threaded hole single mounting facility Thready Qty Per Inch (tpi): 32 single mounting facility **Thread Size:** 0.138 inches single mounting facility **Contact Voltage Rating In Volts:** 30.0 dc at sea level **Mounting Facility Pattern:** Two position in-line single mounting facility **Switch Actuator Indexing Position Quantity:** 6 single actuator **Shaft Type:** Round single actuator

Round single ac Terminal Type: Tab, solder lug

Contact Switching Action:

Breaks before makes each section rear

NSN 5930-01-067-7269

Rotary Switch - Page 2 of 2



Switch Actuator Positioning Increment: 22.5 degrees single actuator **Switch Actuator Stop Device Type:** Fixed stop single actuator **Contact Load Current Rating:** 4.0 amperes resistive load dc at sea level **Precious Material And Location:** Contacts silver **Precious Material:** Silver Style Designator: Tap, square frame **Thread Series Designator:** Unc single mounting facility Shelf Life: N/a **Unit Of Measure: Demilitarization:**

No Fiig: A052b0