NSN 5930-01-068-9458

Hazardous Locations/environmental Protection:

Toggle Switch - Page 1 of 2

Body Style: Hole mount

Dustproof

Overall Length: 2.135 inches

1.812 inches



View Online at https://aerobasegroup.com/nsn/5930-01-068-9458

Center To Center Distance Between Mounting Facilities Parallel To Length:

Overall Height:
2.250 inches
Overall Width:
1.120 inches
Body Length:
2.135 inches
Body Width:
1.120 inches
Case Material:
Metal
Actuator Style:
Round
Actuator Diameter:
0.240 inches
Actuator Height:
0.875 inches
Actuator Position-action Relationship:
Up position maintained and down position maintained
Maximum Voltage Rating In Volts:
125.0 ac and 30.0 dc
End Application:
R/p control panel 92772
Mounting Surface To Terminal End Distance:
1.375 inches
Inclosure Type:
Fully enclosed
Features Provided:
Actuator seal
Nonpile-up Contact Arrangement:
2 pole, double throw, both positions maintained single switch unit
Criticality Code Justification:
Feat
Contact Load Current Rating At Maximum Rated Voltage:
40.000 amperes resistive dc and 20.000 amperes inductive dc and 10.000 amperes lamp dc and 7.000 amperes lamp ac

NSN 5930-01-068-9458

Toggle Switch - Page 2 of 2



Special	Features:
---------	-----------

Item must comply with requirements of desc production standard no. L02601; for navy nuclear propulsion plant products only

Terminal Type And Quantity:

6 tab w/screw

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A053a0