NSN 5930-01-074-0885

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-074-0885

Thread Class:

3a single threaded bushing

Thread Length:

0.394 inches single threaded bushing

Hazardous Locations/environmental Protection:

Vibration resistant

Body Diameter:

0.665 inches

Body Length:

Between 1.440 inches and 1.560 inches

Tempurature Sensing Element Type:

Bulb

Width Across Flats:

Between 0.990 inches and 1.050 inches

Operating Tempurature Rating:

233.0 degrees celsius and -54.0 degrees celsius

Mounting Method:

Threaded bushing

Features Provided:

Hermetically sealed case

Contact Action Stimulus:

Decrease

Thread Size:

0.750 inches single threaded bushing

Nonpile-up Contact Arrangement:

1 pole, single throw, normally open, momentary action

Terminal Type:

Connector, receptacle

Contact Load Current Rating:

3.0 amperes resistive load second voltage

Contact Adjustability:

Actuation point not adjustable

Contact Stimulus Rating:

24.90 actuation point degrees celsius and 28.30 actuation point degrees celsius and 1.10 differential point degrees celsius and 2.80 differential point degrees celsius

Contact Voltage Rating In Volts:

30.0 dc at sea level second voltage

Media For Which Designed:

Liquid

Style Designator:

Cylindrical w/flange

Thread Series Designator:

Unf single threaded bushing

NSN 5930-01-074-0885

Thermostatic Switch - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A048b0