NSN 5930-01-075-6209

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-075-6209

Thread Class:
3b all threaded hole
Overall Length:
2.500 inches
Overall Height:
2.407 inches
Overall Width:
1.461 inches
Body Height:
2.266 inches
Distance Between Mounting Facility Centers:
2.188 inches
Capillary Tube Length:
18.0 inches
Bulb Length:
1.938 inches
Bulb Diameter:
0.375 inches
Tempurature Sensing Element Type:
Capillary tube-bulb
Mounting Method:
Bracket and threaded hole
Thready Qty Per Inch (tpi):
32 all threaded hole
Contact Action Stimulus:
Increase
Thread Size:
0.164 inches all threaded hole
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Terminal Type:
Quick disconnect, male
Contact Load Current Rating:
8.0 amperes resistive load first voltage
Contact Adjustability:
Deactuation point adjustable and actuation point adjustable
Contact Adjustment Range:
+16.00/+54.00 actuation point degrees fahrenheit and +16.00/+54.00 deactuation point degrees fahrenheit
Contact Adjustment Type:

External actuation point pointer and external deactuation point pointer

NSN 5930-01-075-6209

Thermostatic Switch - Page 2 of 2



Contact Voltage Rating In Volts:
230.0 ac at sea level first voltage
Media For Which Designed:
Gas
Style Designator:
Rectangular
Thread Series Designator:
Unc all threaded hole
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A048b0