

View Online at <https://aerobasegroup.com/nsn/5930-01-076-7671>

Thread Class:

3b all pressure connection

Overall Length:

8.000 inches

Overall Height:

3.594 inches

Overall Width:

5.875 inches

Body Length:

8.000 inches

Unthreaded Mounting Hole Diameter:

0.281 inches

Longest Horizontal Distance Between Mounting Centers:

5.250 inches

Longest Vertical Distance Between Mounting Centers:

6.000 inches

Pressure Switch Type:

Gage

Operating Temperature Rating:

Between -40.0 degrees fahrenheit and 180.0 degrees fahrenheit

Mounting Method:

Bracket and unthreaded hole

Thready Qty Per Inch (tpi):

18 single pressure connection

Contact Action Stimulus:

Increase

Thread Size:

0.250 inches single pressure connection

Mounting Facility Pattern:

Four position rectangular

Nonpile-up Contact Arrangement:

1 pole, double throw, one position momentary

Terminal Type:

Screw

Contact Load Current Rating:

10.0 amperes resistive load single voltage

Contact Adjustability:

Deactuation point adjustable and actuation point adjustable

Contact Adjustment Range:

+0.02/+4.73 actuation point inches of water and +0.02/+4.73 deactuation point inches of water

Contact Adjustment Type:

Internal deactuation point screw and internal actuation point screw

Contact Stimulus Rating:

0.01 differential point inches of water

Contact Voltage Rating In Volts:

277.0 ac at sea level single voltage

Pressure Connector Type:

Plain, threaded internal all connections

Thread Series Designator:

Npt all pressure connection

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0