NSN 5930-01-079-6476

Pressure Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-079-6476 **Overall Length:** 4.600 inches **Overall Height:** 2.090 inches Overall Width: 3.980 inches **Mounting Slot Width:** 0.375 inches **Body Length:** 3.250 inches **Unthreaded Mounting Hole Diameter:** 0.203 inches **Distance Between Mounting Facility Centers:** 3.250 inches **Longest Horizontal Distance Between Mounting Centers:** 1.120 inches **Shortest Horizontal Distance Between Mounting Centers:** 0.330 inches **End Application: USEO-NA-IRC-ONDI Pressure Switch Type:** Gage **Operating Tempurature Rating:** Between -60.0 degrees fahrenheit and 125.0 degrees fahrenheit **Mounting Method:** Unthreaded hole and slot **Contact Action Stimulus:** Increase **Proof Pressure:** 175.00 pounds per square inch **Mounting Facility Pattern:** Two position diagonal **Nonpile-up Contact Arrangement:** 1 pole, single throw, double make, both positions maintained **Terminal Type:** Screw **Contact Load Current Rating:**

8.0 amperes resistive load third voltage

Contact Adjustability:

Actuation point adjustable

Contact Adjustment Range:

+60.00/+100.00 actuation point pounds per square inch absolute

NSN 5930-01-079-6476Pressure Switch - Page 2 of 2



Contact Voltage Rating In Volts:
240.0 ac at sea level third voltage
Frequency In Hertz:
60.0 first voltage
Media For Which Designed:
Gas
Style Designator:
Rectangular
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A048b0