# NSN 5930-01-081-4764

Push Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-081-4764

# Body Style:

Panel mount

#### Hazardous Locations/environmental Protection:

Moisture resistant

## **Overall Length:**

0.685 inches

#### **Overall Height:**

2.600 inches

#### **Overall Width:**

0.685 inches

#### **Body Length:**

0.685 inches

#### Body Width:

0.685 inches

## **Body Height:**

2.420 inches

# Case Material:

Plastic

#### Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

#### End Application:

Slfcs 97942

#### Inclosure Type:

Fully enclosed

## **Mounting Method:**

Panel

## **Features Provided:**

Rfi shielding

## Nonpile-up Contact Arrangement:

4 pole, double throw, both positions maintained single switch unit

# Contact Load Current Rating At Maximum Rated Voltage:

2.000 amperes resistive dc and 1.000 amperes inductive dc and 1.000 amperes lamp dc and 3.000 amperes resistive ac and 2.000 amperes

inductive ac and 750.000 milliamperes lamp ac

# **Special Features:**

Keying angle 30.0 degrees

# Precious Material And Location:

Terminal surfaces gold

# **Terminal Type And Quantity:**

12 tab, solder lug

# Shelf Life:

N/a

# Unit Of Measure:

# NSN 5930-01-081-4764

Push Switch - Page 2 of 2

Demilitarization:

No

Fiig:

A053a0

