## NSN 5930-01-083-6316

Liquid Level Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-083-6316

Overall Length:
8.500 inches
Ac Voltage Rating:
50.0 volts
Dc Voltage Rating:
50.0 volts
Frequency Rating:
60.0 hertz
Overall Diameter:
6.125 inches
Connector Manufacturer Code:
92219
Actuation Method:
Buoyancy
Electrical Connection Type:
Terminal lug
Connector Identification:
19192
Internal Battery Accommodation:
Not included
Current Rating At Maximum Rated Voltage:
0.06 amperes resistive load
Voltage Rating At Maximum Rated Current:
120.0 volts
Float Quantity:
1
Operating Tempurature Rating:
Between 65.0 degrees fahrenheit and 250.0 degrees fahrenheit
Mounting Method:
Flange
Mounting Position:
Vertical
Maximum Current Rating:
0.12 amperes resistive load
Contact Arrangement:
Spst normally open
Relay:
Not included
Liquid Type For Which Designed:
Hydraulic oil and lubricating oil and sea water and various fuels
Float Effective Travel:

2.500 inches

## NSN 5930-01-083-6316

Liquid Level Switch - Page 2 of 2



Six 0.562 in. Diameter holes equally spaced on a 5.000 in. Diameter bolt circle

Tank Insertion Length:

5.000 inches

Phase:

Single

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

T109-d