## NSN 5930-01-084-2969

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-084-2969

**Thread Class:** 3a single threaded bushing **Thread Length:** 0.320 inches single threaded bushing and 0.365 inches single threaded bushing **Hazardous Locations/environmental Protection:** Moisture proof **Overall Height:** 1.500 inches **Body Height:** Between 0.093 inches and 1.100 inches **Overall Diameter:** 0.654 inches **End Application:** F/tf-05a 76301 **Tempurature Sensing Element Type:** Internal sensor **Operating Tempurature Rating:** 212.0 degrees fahrenheit **Mounting Method:** Threaded bushing **Features Provided:** Hermetically sealed case Thready Qty Per Inch (tpi): 16 single threaded bushing **Contact Action Stimulus:** Increase **Thread Size:** 0.750 inches single threaded bushing **Nonpile-up Contact Arrangement:** 1 pole, single throw, normally closed, momentary action **Terminal Type:** Tab, solder lug **Contact Load Current Rating:** 3.0 amperes resistive load second voltage **Contact Adjustability:** Deactuation point not adjustable and actuation point not adjustable **Contact Stimulus Rating:** 190.00 actuation point degrees fahrenheit and 200.00 actuation point degrees fahrenheit and 15.00 differential point degrees fahrenheit and 25.00 differential point degrees fahrenheit

Frequency In Hertz:

Contact Voltage Rating In Volts: 28.0 dc at sea level second voltage

60.0 first voltage

## NSN 5930-01-084-2969

Thermostatic Switch - Page 2 of 2



Media For Which Designed
Gas
Style Designator:
Disc
Thread Series Designator:
Unf single threaded bushing
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A048b0