

View Online at <https://aerobasegroup.com/nsn/5930-01-088-5612>

Overall Length:

2.060 inches

Overall Height:

0.675 inches

Overall Width:

0.836 inches

Environmental Protection:

Moisture proof and shock resistant and vibration

Vibration Resistance Range In Hertz:

+5.0/+33.0

Vibration Resistance Amplitude:

6.5 gravitational units

Shock Resistance Rating In Gravitational Units:

60.0

Operating Temperature Range:

+0.0/+75.0 degrees celsius

Average Life Measurement:

Not rated

Basic Shape Style:

Rectangular or square

Identification Designator:

An-wlq- (v) -80058

Maximum Operating Altitude Rating:

Not rated

Inclosure Type:

Encased

Installation Design:

Mechanical

Circuit Construction Type:

Solid state

Frequency Per Channel:

80.0 megahertz operating channel err-100

Attenuation In Decibels:

Not rated

Average Power Rating Per Channel:

Not rated

Signal Voltage Rating Per Channel:

Not rated

Overall Gain:

Not rated

Impedance Rating Per Channel:

50.000 ohms operating channel

Maximum Continuous Operating Time In Hours:

Not rated

Shock Pulse Duration Time:

20.0 milliseconds

Connection Type And Location:

Receptacle, coaxial left side and receptacle, coaxial right side and solder lug right side

Connection Contact Type And Quantity:

3 receptacle, coaxial internal and 4 solder lug external

External Dc Operating Voltage In Volts:

-15.0 2nd voltage err-100

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A32200