

View Online at <https://aerobasegroup.com/nsn/5930-01-088-5612>

**Overall Length:**

2.060 inches

**Overall Height:**

0.675 inches

**Overall Width:**

0.836 inches

**Environmental Protection:**

Moisture proof and shock resistant and vibration

**Vibration Resistance Range In Hertz:**

+5.0/+33.0

**Vibration Resistance Amplitude:**

6.5 gravitational units

**Shock Resistance Rating In Gravitational Units:**

60.0

**Operating Temperature Range:**

+0.0/+75.0 degrees celsius

**Average Life Measurement:**

Not rated

**Basic Shape Style:**

Rectangular or square

**Identification Designator:**

An-wlq- (v) -80058

**Maximum Operating Altitude Rating:**

Not rated

**Inclosure Type:**

Encased

**Installation Design:**

Mechanical

**Circuit Construction Type:**

Solid state

**Frequency Per Channel:**

80.0 megahertz operating channel err-100

**Attenuation In Decibels:**

Not rated

**Average Power Rating Per Channel:**

Not rated

**Signal Voltage Rating Per Channel:**

Not rated

**Overall Gain:**

Not rated

**Impedance Rating Per Channel:**

50.000 ohms operating channel

**Maximum Continuous Operating Time In Hours:**

Not rated

**Shock Pulse Duration Time:**

20.0 milliseconds

**Connection Type And Location:**

Receptacle, coaxial left side and receptacle, coaxial right side and solder lug right side

**Connection Contact Type And Quantity:**

3 receptacle, coaxial internal and 4 solder lug external

**External Dc Operating Voltage In Volts:**

-15.0 2nd voltage err-100

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A32200