NSN 5930-01-089-3190

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-089-3190

Thread Class:

2a single mounting facility

Thread Length:

0.375 inches single mounting facility

Overall Height:

1.617 inches

Overall Width:

1.625 inches

Shaft Diameter:

0.250 inches 1st actuator

Shaft Length:

0.963 inches 2nd actuator

Individual Section Quantity:

1

Nonturn Device Type:

Tab at 12: 00 o'clock

Operating Tempurature Range:

-55.0/+85.0 degrees celsius

Switch Contact Basic Design:

Nonpile-up nonsymmetrical

Mounting Method:

Threaded bushing single mounting facility

Features Provided:

Variable resistor provisions

Thread Size:

0.375 inches single mounting facility

Contact Voltage Rating In Volts:

6.0 dc at sea level

Switch Actuator Indexing Position Quantity:

7 1st actuator

Shaft Type:

Round, hollowed, flatted 1st actuator

Terminal Type:

Tab, solder lug

Contact Switching Action:

Breaks before makes single section rear

Switch Actuator Positioning Increment:

18.0 degrees 1st actuator

Contact Load Current Rating:

125.0 milliamperes resistive load ac at sea level

Style Designator:

Wafer, printed board, bushing mount

NSN 5930-01-089-3190

Rotary Switch - Page 2 of 2



Thread Series Designato	TI	nread	Series	Design	ator
-------------------------	----	-------	--------	--------	------

Unef single mounting facility

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0