## NSN 5930-01-089-3190

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-089-3190

**Thread Class:** 

2a single mounting facility

Thread Length:

0.375 inches single mounting facility

**Overall Height:** 

1.617 inches

**Overall Width:** 

1.625 inches

**Shaft Diameter:** 

0.250 inches 1st actuator

**Shaft Length:** 

0.963 inches 2nd actuator

**Individual Section Quantity:** 

1

**Nonturn Device Type:** 

Tab at 12: 00 o'clock

**Operating Tempurature Range:** 

-55.0/+85.0 degrees celsius

**Switch Contact Basic Design:** 

Nonpile-up nonsymmetrical

**Mounting Method:** 

Threaded bushing single mounting facility

**Features Provided:** 

Variable resistor provisions

**Thread Size:** 

0.375 inches single mounting facility

**Contact Voltage Rating In Volts:** 

6.0 dc at sea level

**Switch Actuator Indexing Position Quantity:** 

7 1st actuator

**Shaft Type:** 

Round, hollowed, flatted 1st actuator

**Terminal Type:** 

Tab, solder lug

**Contact Switching Action:** 

Breaks before makes single section rear

**Switch Actuator Positioning Increment:** 

18.0 degrees 1st actuator

**Contact Load Current Rating:** 

125.0 milliamperes resistive load ac at sea level

**Style Designator:** 

Wafer, printed board, bushing mount

## NSN 5930-01-089-3190

Rotary Switch - Page 2 of 2



	T	hr	ead	<b>Series</b>	Design	nator
--	---	----	-----	---------------	--------	-------

Unef single mounting facility

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0