## NSN 5930-01-092-1435

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-092-1435

**Thread Class:** 

2a single mounting facility

**Thread Length:** 

0.375 inches single mounting facility

**Overall Length:** 

2.437 inches

First Flat Length:

0.280 inches single actuator

Flat Height:

0.216 inches single actuator

**Shaft Diameter:** 

0.250 inches single actuator

**Shaft Length:** 

0.562 inches single actuator

**Individual Section Quantity:** 

3

**Operating Tempurature Range:** 

-25.0/+85.0 degrees celsius

**Switch Contact Basic Design:** 

Nonpile-up symmetrical

**Pole Quantity:** 

1 each section rear

**Throw Quantity:** 

9 each section rear

**Mounting Method:** 

Threaded bushing single mounting facility

**Thread Size:** 

0.375 inches single mounting facility

**Contact Voltage Rating In Volts:** 

28.0 dc at sea level

**Switch Actuator Indexing Position Quantity:** 

9 single actuator

Shaft Type:

Round, flatted single actuator

**Terminal Type:** 

Clip

**Contact Switching Action:** 

Breaks before makes each section front

**Switch Actuator Positioning Increment:** 

30.0 degrees single actuator

**Detent Rotational Torque Range:** 

+14.000/+26.000 inch-ounces single actuator

## NSN 5930-01-092-1435

Rotary Switch - Page 2 of 2



## **Switch Actuator Stop Device Type:**

Fixed stop single actuator

**Contact Load Current Rating:** 

500.0 milliamperes resistive load ac at sea level

**Style Designator:** 

Circular wafer, bushing mount

**Thread Series Designator:** 

Unef single mounting facility

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A052b0