## NSN 5930-01-092-2662

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-092-2662

Thread Class:

2b all threaded hole

**Overall Length:** 

2.875 inches

**Overall Height:** 

1.672 inches

Overall Width:

1.656 inches

Body Length:

2.375 inches

Body Width:

1.656 inches

Body Height:

0.922 inches

Distance Between Mounting Facility Centers:

1.750 inches

Capillary Tube Length:

18.000 inches

**Bulb Length:** 

3.875 inches

Bulb Diameter:

0.375 inches

Tempurature Sensing Element Type:

Capillary tube-bulb

Mounting Method:

Bracket and threaded hole

Thready Qty Per Inch (tpi):

32 all threaded hole

**Contact Action Stimulus:** 

Increase

Thread Size:

0.138 inches all threaded hole

Mounting Facility Pattern:

Two position in-line

Nonpile-up Contact Arrangement:

1 pole, single throw, normally open, momentary action

Terminal Type:

Tab w/screw

Contact Load Current Rating:

25.0 amperes resistive load single voltage

Contact Adjustability:

Actuation point adjustable

## NSN 5930-01-092-2662

Thermostatic Switch - Page 2 of 2



Contact Adjustment Range: +175.00/+550.00 actuation point degrees fahrenheit

Contact Adjustment Type:

External actuation point shaft

**Contact Voltage Rating In Volts:** 

250.0 ac at sea level single voltage

Frequency In Hertz:

60.0 single voltage

Media For Which Designed:

Gas or liquid

Style Designator:

Rectangular w/bracket

**Thread Series Designator:** 

Unc all threaded hole

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0