## NSN 5930-01-093-0339

Code Indicating Wheel Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-093-0339

#### **Thread Class:**

2b single mounting facility

#### **Hazardous Locations/environmental Protection:**

Dustproof and explosion proof

**Overall Length:** 

0.370 inches

**Overall Height:** 

1.645 inches

**Overall Width:** 

1.700 inches

**Distance Between Mounting Facility Centers:** 

1.437 inches single mounting facility

**Individual Section Quantity:** 

1

#### **Mounting Method:**

Flange single mounting facility and threaded hole single mounting facility

#### **Actuator Type:**

Double push button all actuators

## Thready Qty Per Inch (tpi):

56 single mounting facility

## Thread Size:

0.086 inches single mounting facility

#### **Contact Voltage Rating In Volts:**

28.0 dc at sea level

## **Mounting Facility Pattern:**

Two position in-line single mounting facility

## **Switch Actuator Indexing Position Quantity:**

8 all actuators

#### **Terminal Type:**

Printed circuit

### **Contact Switching Action:**

Makes before breaks single section rear

#### **Contact Load Current Rating:**

125.0 milliamperes resistive load dc at sea level

#### **Readout Indicator Marking:**

 $0,\,1,\,2,\,3,\,4,\,5,\,6,\,7\,\,\text{single section}$ 

### **Contact Arrangement Truth Table:**

Bcd, 1 pole - 8 positions single section

## **Special Features:**

Panel gasket seal provided

#### Color:

White single indicator marking

# NSN 5930-01-093-0339

Code Indicating Wheel Switch - Page 2 of 2



Style	Des	siar	ato	r-
Otylo		, gi	iato	

Rectangular indicating

**Thread Series Designator:** 

Unc single mounting facility

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A052b0