NSN 5930-01-093-2252

Liquid Level Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-093-2252

Overall Length:
6.500 inches
Ac Voltage Rating:
Between 0.0 volts and 240.0 volts
Dc Voltage Rating:
Between 0.0 volts and 240.0 volts
Frequency Rating:
60.0 hertz
Overall Diameter:
1.188 inches
Connector Manufacturer Code:
04034
Actuation Method:
Buoyancy
End Application:
L.P. Compressors; oliver perry class ffg
Electrical Connection Type:
Connector receptacle
Connector Identification:
15724
Internal Battery Accommodation:
Not included
Current Rating At Maximum Rated Voltage:
0.6 amperes resistive load
Voltage Rating At Maximum Rated Current:
50.0 volts
Float Quantity:
1
Operating Tempurature Rating:
Between 0.0 degrees fahrenheit and 250.0 degrees fahrenheit
Mounting Method:
Thread
Mounting Position:
Vertical
Maximum Current Rating:
0.3 amperes resistive load
Contact Arrangement:
Spst, normally open
Relay:
Not included
Liquid Type For Which Designed:

Various fuels or water

NSN 5930-01-093-2252 Liquid Level Switch - Page 2 of 2



Float Effective Travel:
2.000 inches
Tank Insertion Length:
1.625 inches
Phase:
Single
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: T109-d