

View Online at <https://aerobasegroup.com/nsn/5930-01-093-8300>

Hazardous Locations/environmental Protection:

General purpose-nema type 1 and watertight and waterproof

Overall Height:

4.094 inches

Overall Width:

5.188 inches

Body Diameter:

3.469 inches

Unthreaded Mounting Hole Diameter:

0.281 inches

Distance Between Mounting Facility Centers:

4.125 inches

End Application:

Actuator r type 16583

Pressure Switch Type:

Gage

Mounting Method:

Base and unthreaded hole

Thready Qty Per Inch (tpi):

14 all pressure connection

Contact Action Stimulus:

Increase

Thread Size:

0.750 inches single pressure connection

Mounting Facility Pattern:

Two position in-line

Nonpile-up Contact Arrangement:

2 pole, double throw, one position momentary

Terminal Type:

Screw

Contact Load Current Rating:

300.0 milliamperes resistive load third voltage

Contact Adjustability:

Deactuation point adjustable and actuation point adjustable

Contact Adjustment Type:

Internal deactuation point screw and internal actuation point screw

Contact Voltage Rating In Volts:

250.0 ac at sea level first voltage

Pressure Connector Type:

Double compression, threaded internal all connections

Thread Series Designator:

Npt all pressure connection

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0