

View Online at <https://aerobasegroup.com/nsn/5930-01-095-3843>

**Hazardous Locations/environmental Protection:**

Weatherproof

**Overall Length:**

1.219 inches

**Overall Height:**

0.670 inches

**Body Diameter:**

0.625 inches

**Body Height:**

0.485 inches

**Unthreaded Mounting Hole Diameter:**

0.145 inches

**Distance Between Mounting Facility Centers:**

0.937 inches

**End Application:**

4520-01-032-7363

**Temperature Sensing Element Type:**

Internal sensor

**Operating Temperature Rating:**

Between 0.0 degrees fahrenheit and 350.0 degrees fahrenheit

**Mounting Method:**

Bracket and unthreaded hole

**Features Provided:**

Tamper proof cap

**Contact Action Stimulus:**

Increase

**Mounting Facility Pattern:**

Two position in-line

**Nonpile-up Contact Arrangement:**

1 pole, single throw, normally closed, momentary action

**Terminal Type:**

Tab, solder lug

**Contact Load Current Rating:**

10.0 amperes resistive load first voltage

**Contact Adjustability:**

Deactuation point not adjustable, manual reset and actuation point adjustable

**Contact Adjustment Range:**

+77.00/+150.00 actuation point degrees fahrenheit

**Contact Adjustment Type:**

External actuation point knob

**Contact Voltage Rating In Volts:**

240.0 ac at sea level first voltage

**Frequency In Hertz:**

60.0 second voltage

**Media For Which Designed:**

Gas

**Precious Material And Location:**

Contacts silver

**Precious Material:**

Silver

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A048b0